

WIS Series
Wound Chip Inductor
Size 1210

CHARACTERISTICS


- Small size and higher inductance available
- Small tolerance available
-

APPLICATION

- Filter
-

Dimensions: [mm]

Land Pattern: [mm]



Electrical Properties:

				25.2			
				25.2			
				25.2			
				25.2			
				25.2	525		
				25.2			
				25.2			
				25.2			
				25.2	395		
				25.2			
				25.2			
				7.96	295		
				7.96	255		
				7.96			
				7.96			

	2.2			7.96			
	2.7			7.96	65		
	3.3			7.96	55		
	3.9			7.96			
				7.96			
	5.6			7.96			
				7.96	35		
				7.96			
				2.52			
				2.52		2.5	
				2.52	25		
				2.52	22	3.3	
	22			2.52		3.7	
	27			2.52			
	33			2.52		5.6	
	39			2.52			65
				2.52			
	56			2.52			55
				2.52			
				2.52			
					9		
					7		65


°C

°C


°C

Typical Electrical Characteristics:


Temperature Rise VS. Current Characteristics:




Impedance VS. Frequency Characteristics:




Temperature Rise VS. Current Characteristics:



Impedance VS. Frequency Characteristics:



Temperature Rise VS. Current Characteristics:



Impedance VS. Frequency Characteristics:

